Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
S1	3	(convert\$3 or chang\$3 or transform\$5) near7 (pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near7 ((low\$2 adj3 bit) adj5 depth\$1) with ((high\$3 adj5 bit\$1) adj5 depth\$1)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 13:45
82	25	(pixel\$1 or pixel\$1 or picel\$1 or pel\$1 or voxel\$1) with ((low\$2 adj3 bit) adj5 depth\$1) with ((high\$3 adj3 bit\$1) adj5 depth\$1)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 13:47
83	55	(pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) same((low\$2 adj3 bit) adj5 depth\$1) same ((high\$3 adj3 bit\$1) adj5 depth\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 14:03
S4	3	(convert\$3 or chang\$3 or transform\$5) near7 (pixel\$1 or pixel\$1 or picel\$1 or pel\$1 or voxel\$1) near7 ((low\$2 adj3 bit) adj5 depth\$1)near7 ((high\$3 adj5 bit\$1) adj5 depth\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 14:11
\$5	3	"20040184768"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 14:19
S6	3	"20040184766"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 14:20
S7	7	("20020030652" "20020180764" "5539430" "6580870" "6993199").PN. OR ("7466904").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/24 14:28

S8	11092	(pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or	US-PGPUB;	OR	OFF	2010/11/24 15:13
		voxel\$1) near5 (saturat\$3 or max or min)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
59	15	(pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near7 ((low\$2 adj3 bit) adj5 depth\$1)near7 ((high\$3 adj3 bit\$1) adj5 depth\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 15:14
S10	25	(pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) with((low\$2 adj3 bit) adj5 depth\$1)with ((high\$3 adj3 bit\$1) adj5 depth\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 15:15
S11	490	S8 same (Saturation near5 threshold\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 15:17
S12	429	(Adjust\$3 or control\$3 or regulat\$3 or set\$3 adj3 up\$3) near7 (color\$2 or colour\$4 or RG\$52 or chroma\$6 or grey\$3 or gray\$3 or black\$3 or whit\$3) near7 (pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near7 (saturat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 15:27
S13	11	S11 same S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 15:28
S14	7	("4812902" "5966222" "6088469" "6125145" "6453055" "7092122" "7215366").PN. OR ("7286702").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/11/24 17:44
S15	11092	(pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near5 (saturat\$3 or max or min)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2010/11/24 17:48

S16	490	S15 same (Saturation near5 threshold\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 17:48
S17	429	(Adjust\$3 or control\$3 or regulat\$3 or set\$3 adj3 up\$3) near7 (color\$2 or colour\$4 or RG\$\$2 or chroma\$6 or grey\$3 or gray\$3 or black\$3 or whit\$3) near7 (pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near7 (saturat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 17:48
S18	23	S16 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 17:48
S19	0	S17 with parabola\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 18:40
S2 0	0	S17 same parabola\$1	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 18:40
S21	4	S17 and parabola\$1	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 18:40
S22	4	(detect\$3 or identify\$3) near5 (boundar\$3 or border\$1 or edge\$1 or counter\$1) near5 (pixel\$1 or pixel\$1 or picel\$1 or pel\$1 or voxel\$1) near5 saturat\$3 near5 (region\$1 or area\$1)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 19:15

S23	6	(detect\$3 or identify\$3) near7 (boundar\$3 or border\$1 or edge\$1 or counter\$1) near7 (pixel\$1 or pixel\$1 or picel\$1 or pel\$1 or voxel\$1) near7 saturat\$3 near7 (region\$1 or area\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/24 19:17
S24	2	(Detect\$3 or identify\$3 or determine\$3 or find\$3 or calculate\$3) with ((start\$\$ with end\$3) with (pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1 or (image\$1 adj2 element\$1))) with ((boundar\$3 or border\$1 or edge\$1) near5 saturat\$3 near5 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 11:26
S25	2	(Detect\$3 or identify\$3 or determine\$3 or find\$\$ or calculate\$3)same ((start\$\$ with end\$3) same (pixel\$1 or picel\$1 or picel\$1 or voxel\$1 or (image\$1 ad; element\$1)) same ((boundat\$2 or border\$1 or edge\$1) near\$ saturat\$3 near\$ (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 11:27
S26	528	(Detect\$3 or identify\$3 or determine\$3 or find\$3 or calculate\$3) with (pixel\$1 or pixcel\$1 or picel\$1 or poxel\$1 or voxel\$1 or (image\$1 adj2 element\$1)) with (saturat\$3 near5 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 11:35
S27	21	\$26 same ((boundar\$3 or border\$1 or edge\$1) near5 saturat\$3 near5 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 11:37
S28	788	((boundar\$3 or border\$1 or edge\$1) near5 saturat\$3 near5 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 12:18
S29	93	\$28 same (pixel\$1 or pixel\$1 or picel\$1 or pel\$1 or voxel\$1)	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 12:19

		EAST Search History	, (,		
\$30	56	S28 with (pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 12:19
S31	2	"7286702".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 12:46
S32	0	(Detect\$3 or identify\$3 or determine\$3 or find\$\$ or calculate\$3) near7 ((boundar\$5 or border\$1) near7 saturat\$3 near7 (region\$1 or area\$1 or zone\$1 or section\$11)) near7 ((pixel\$1 or pixcel\$1 or pioal\$1 or pel\$1 or voxel\$1 or (image\$1 adj2 element\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 13:29
S33	27	(Detect\$3 or identify\$3 or determine\$3 or find\$3 or calculate\$5) with ((boundar\$5 or border\$1) with saturat\$3 with (region\$1 or area\$1 or zons\$1 or section\$1))) with ((pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1 or (image\$1 adj2 element\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 13:30
S34	434	((boundar\$3 or border\$1 or edge\$1) near3 saturat\$3 near3 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 13:49
\$35	2	S34 and parabola\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 13:50
S36	24	S26 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/26 13:50
S37	18	("2004/0184670").URPN.	USPAT	OR	OFF	2010/11/26 14:04
S38	0	11/831521.app.	USPAT	OR	OFF	2010/11/29 13:28

S39	1	11/831521.app.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 13:28
S40	2	"6038576",pn.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 15:46
S41	165	(WHITEHEAD NEAR3 LORINE), INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 16:30
S42	4	\$41 AND ((pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near5 (saturat\$3 or max or min))	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 16:31
S43	76	(SEETZEN NEARS HELGE), INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2010/11/29 16:31
S44	6	\$43 AND ((pixel\$1 or pixel\$1 or picel\$1 or pel\$1 or voxel\$1) near5 (saturat\$3 or max or min))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 16:32
S45	4	(WARD NEARS GRECORY NEARS JOHN) AND ((pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near5 (saturat\$3 or max or min))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 16:33

S46	1	10/599955.app.	US-PGPUB; USPAT; USCCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/29 17:49
S47	13	(Two or dual or orthogonal) near3 (scan\$4) near3 (color or bit) near3 depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:21
S50	35	(Two or dual or orthogonal) near5 (scan\$4) near5 Saturat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:24
S51	9	(orthogonal or different or perpendicular) near3 (scan\$4) near3 saturat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:32
S52	9	(orthogonal or different or perpendicular or (horizontal near3 vertical)) near3 (scan\$4) near3 saturat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:34
S53	2	(horizontal near3 vertical) near5 (scan\$4) near5 saturat\$3	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:35
S54	12	(horizontal near3 vertical) near5 (scan\$4) with saturat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:36

S55	114	(horizontal with vertical) with (scan\$4) with saturat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:36
S56	3	S55 and ((color or bit) near3 depth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:37
S58	7	\$55 same (saturat\$3 near3 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 15:39

Ref #	Hits	Search Query	DBs	Defa ult Oper ator	Plurals	Time Stamp
L1	3686	(382/167,162,163,166).cds.	USPAT	OR	OFF	2010/12/01 17:29
L2	338	L1 and ((pixel\$1 or pixcel\$1 or picel\$1 or pel\$1 or voxel\$1) near5 (saturat\$3 or max or min))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 17:30
L3	98	L2 and ((Adjust\$3 or control\$3 or regulat\$3 or set\$3 adj3 up\$3) near7 (color\$2 or colour\$4 or RGB\$2 or chroma\$6 or grey\$3 or gray\$5 or black\$3 or whit\$3) near7 (pixel\$1 or pixel\$1 or picel\$1 or voxel\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 17:30
L4	9	L3 and ((boundar\$3 or border\$1 or edge\$1) near5 saturat\$3 near5 (region\$1 or area\$1 or zone\$1 or section\$1))	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/12/01 17:31

12/1/2010 5:34:06 PM Page 1

Inventor Information for 10/599955

Inventor Name	City	State/Country		
WHITEHEAD, LORNE A.	VANCOUVER	CANADA		
SEETZEN, HELGE	VANCOUVER	CANADA		
WARD, GREGORY JOHN.	ALBANY	CALIFORNIA		
Search Another: Application # Search or Patenti				
PCT / Search or PG PUBS	# Search			
Attorney Docket #				
Bar Code # Search				

To go back, right click here and select Back. To go forward, right click here and select Forward. To refresh, right click here and select Refresh. Back to OASIS! Home page